

威 佳

威佳电气，  
每位工程师的专业选择！

# UE-iHot-P4000W

Product Introduction

使用产品前请仔细阅读本使用说明，并请妥善保管

## 1 产品概述

### Product Description

适用于寒冷地区的机柜取暖或半开放式机舱取暖

Suitable for cabinet heating or semi open cabin heating in cold area

外观颜色：RAL 7035

Appearance Color: RAL 7035

供货范围：完整的安装单元、安装五金、电源线

Supply: Complete mounting units, installation hardware and power cord

#### 1.1 产品参数 Product Parameters


额定工作电压 Rated Working Voltage	400V, 50Hz
风量 Air Volume	430m <sup>3</sup> /h
出风口风速 Air Outlet Velocity	4m/s
额定功率 Rated Power	4100W
额定电流 Rated Current	11.5A
防护等级 Protection Level	IP23
外壳材质 Shell Material	碳钢 + 表面喷塑处理 Carbon Steel + Surface Spray Treatment
宽度 Width	660mm(B)

## UE-iHot-P4000W


高度 Height	475mm(H)
深度 Depth	175mm(T1)
风扇 Fan	交流离心风机 AC Centrifugal Fan
工作温度范围 Operating Temperature Range	-25°C -60°C
贮存温度范围 Storage Temperature Range	-35°C -70°C
噪音等级 Noise Level	53dB(A)
控制方式 Control Mode	加热模块延时 2h 停止 (延时可调) Heating module stops after 2 hours delay (delay adjustable)
根据安装方式可选配 Optional According to The Installation Mode	防倾倒断电方案 Anti Dumping Power Off Scheme

## 2 原理图

### Schematic Diagram



## 2D 图纸 2D Drawing



# UE-iHot-P4000W

## Product Introduction

---

Vaule Plus,  
Professional Choice of Each Engineer!

无锡威佳电力科技有限公司

Wuxi Vaule Plus Electric Power Technology Co., Ltd  
South side of shuofanlihe road and west side of sun'an highway, Xinwu District, Wuxi City  
Email sale@gb-value.com

