

威 佳

威佳电气,
每位工程师的专业选择!

UE-iLink- FNT-6TX/2FX-SM20

Product Introduction



使用产品前请仔细阅读本使用说明，并请妥善保管

1 产品概述

Product Description

该导轨式非网管型工业以太网交换机具有 6 个百兆电口, 2 个百兆 SC 光口, 单模双纤 20 公里, 支持双电源输入、宽工作温度 (-40 度到 75 度)、IP40 防护等级, 持各种高级网络管理功能, 包括 QoS、VLAN、IGMP Snooping/GMRP、Port TrunkingSNMP V1/V2 以及 RSTP/STP 等, 满足工业控制现场严格的要求。

The guide rail type non network management Industrial Ethernet switch has 6 100m electric ports, 2 100Mbps SC optical ports, single-mode dual fiber 20km, supports dual power input, wide operating temperature (- 40°C to 75 °C), IP40 protection grade, and supports various advanced network management functions, including QoS, VLAN, IGMP Snooping / GMRP, Port Trunking SNMP V1 / V2 and RSTP / STP, Meet the strict requirements of industrial control site..

1.1 产品参数 Product Parameters


以太网范围 Ethernet Range	IEEE 802.3 IEEE 802.3u IEEE 802.3x
MAC 地址表 MAC Address Table	2K
数据包缓存 Packet Cache	1Mbit
处理方式 Treatment Method	存储转发 Store and Forward
RJ45 端口数 RJ45 Port	6 个百兆电口 6 100Mbps Electric Ports
光口数 Optical Port	2 个百兆光口 2 100Mbps Optical Ports
光口传输距离 Optical Port Transmission Distance	单模双纤 20km Single Mode Dual Fiber 20km
LED 指示灯 LED Indicator	电源、电口、光口 Power Supply, Electric Port, Optical Port

UE-iLink-FNT-6TX/2FX-SM20

电源输入 Power Input	24V 输入：双路 12~36VDC，4 针端子 24V Input: Dual 12 ~ 36VDC, 4-pin Terminal
电源功耗 Power Consumption	最大 6W Max. 6W
电源保护 Power Protection	过载保护、反向保护 Overload Protection, Reverse Protection
工作 / 存储温度 Operating / Storage Temperature	-40~75°C / -40~85°C
工作湿度 Working Humidity	5%~95% 无凝露 No Condensation
尺寸 Size	57*136*109mm
防护等级 Degree of Protection	IP40
安装方式 Installation Mode	默认导轨安装，可选壁挂安装 Default guide rail installation, optional wall mounting

2 结构图

Structure Diagram



1 接地

2 电源接口

3 配置串口

4 继电器告警接口

5 指示灯

6 百兆电口

7 百兆光口

UE-iLink-FNT-6TX/2FX-SM20

Product Introduction

Vaule Plus,
Professional Choice for Each Engineer!

Wuxi Vaule Plus Electric Power Technology Co.,Ltd.
South side of shuofanlihe road and west side of sun'an highway, Xinwu District, Wuxi City
Email sale@vauleplus.com

